



1/11

Figure 1




2/11

Figure 2



3/11


Figure 3



4/11

Figure 4


One Hour Kinetic Assay Detection of Caspase 3: DMSO Concentration Effect as Added with 30 mM Final Cell Probe



5/11

Figure 5


**HeLa Caspase 6 CellProbe 1 Hour Assay:
DMSO and a Potassium Glutamate Titration Enhancement of Fluorescence Signal**



6/11

Figure 6A


**HeLa 1 Hour Caspase 3 Assay: Signal Ratio of 10 mM Cbz CellProbe
Substrate with Mono Potassium Glutamate Additive Titration**



7/11

Figure 6B


**HeLa Caspase 3, 1 Hour Assay:
DMSO Optimum Additive Titration with Cbz(DEVD)₂Rho110 Substrate**



8/11


Figure 6C

HeLa Caspase 3, 1 Hour Assay, DMSO Optimum Additive Titration with [Cbz(DEVD)₂]₂Rho110



9/11


Figure 7



10/11

Figure 8

HeLa 1 Hour Caspase 3 Assay: Signal Ratio of 10 μ M Cbz CellProbe Substrate with Betaine
Additive Titration



11/11

Figure 9

CellProbe Caspase 6 Assay with Added Compounds For Signal Enhancement Determination

